
13350912122	13350912122
/	/
401135	401135
19	19

	1
	4
2 1	4
2 2	4
	5
3 1	5
3 2	7
3 3	10
3 4	10
3 5	10
3 6	10
3 7	10
	11
4 1	/	11
4 2	“ ”	11
4 3	12
	13
5 1	13
5 2	19
	20
6 1	20
6 2	20
6 4	20
	21
	22
8 1	22
8 2	22
8 2	22
	23

9.1	23
9.2	23
	24
10.1	24
10.2	25

	CN112B15		1 CN112B15 CN112B15 12 CN112B15	2018 021	2018 8 15
		B3 1/01	9 4 30 30	2018 080	2018 8 15 <hr/> <hr/>
			1 1 CN115 CN112 20	2019 022	2019 6 4
			1 1 1 1	2019 223	2020 6 23
			1 16	[2020]097	2020 11 5
			1 1 13350	2020 092	
			B4 1/01	2	2017 135

()

13350 /a

13350

2020 4

2020 7 28

[2020]092

2020 8 1

2020 8 31

2020 9 30

2017 7 16

682

2017 4

HJ/T 407 2007

2018 9

1-1

1-1

	19				401135
				13350912122	
	()				
			[2020]092		2020.7.28
				/	
	2020 8			2020 9	
	/			/	
	10200 /a			3330	
	/a		13350		
	13350 /a		13350		
			300 24h/d		
			16h/d	24h/d	
	1		1		
			13350		
	13350 /a		13350		
	100		10		10%
	10		1		10%
/	/	1	/	/	/

2.1

	1		
	2		2017 7
16		682	
	3		5
	4		28
	5		[1999]24
	6		2017 4
	7		
		[2012]26	
	8		HJ/T 407 2007
	9		
2018		9	

2.2

	1		
	2		[2020]092

3.1

19



3-1

			m		
1		W	1100	300	
2		W	700	19140	
3		N	780	2500	
4		SE	1380	1000	
5		NE	1860	3000	
6		S	2500	572	
7		W	1250		

8		S	6800		
---	--	---	------	--	--

19

3.2

3.2.1

“ ”

“ ” 2014 5

- 19

9

8

91500000304895114H001V

13350

19

13350 /a

13350

3 2 2

3-2-2

		1 2 6		
		1 17 CO ₂		
		1		

		1		
	1			
	2			
	3			
		4m /h	65%	
		"	"	
		200m ³ /d	1	
	CO ₂	8.1 m ³ /a	CO ₂ 30m ³ /h	
		200m ³ /d		

--	--	--	--

3.3

3.4

3-4

3-4


	13350 /a	13350 /a	

3.5

13350 /a

13350

3.5 1



13350 /a

13350

3.6

3.7

4.1 /



4.2

4.3

“ ”

10

1

10%

4.3-1

4.3-1

4.4

700m

5

C3660

-

GB3095 2012

HJ2.2 2018

D

DB13/1577 2012

GB3096 2008

3

2018

GB3838 2002

GB36600 2018

-

700m

1

			200m³/d		5.11m³/d
1531.536m³/a			2019	1073	
6		100m³/d		100m³/d	
1	G1				70%
2	G2				
				+15m	
DA004		90%	90%		
		DA004		DA004	
3	G3				
4	G4		+		+15m
	DA010	90%	90%		
					DA010
	DA010				
5	G5	VOCs	5%		2019 53

“

”

2020-500112-36-03-130767

“

”

1

“

”

2

5.2

:2020-500112-36-03-130

767

: 2016035550350000003507550228

6.1

200m³/d

GB18918 2002

1 A

6.1.1

6.1.1

	pH	COD	BOD ₅	SS	NH ₃ N				LAS
	6-9	400	200	280	32	15	5	5	20
GB18918 2002 A	6-9	50	10	10	5	1	0.5	1	0.5

6.2

6.2-1

GB12348-2008 3	65dB(A)	55dB(A)

6.3

2012 4

GB3838 2002

6.3.1

6.3.1

	pH	COD	BOD ₅	NH ₃ N			LAS	
	6-9	20	4	1.0	0.2	0.05	0.2	1.0

GB3096 2008

3

6.3.2

6.3.2

dB A

3	65	55	GB3096 2008 3

7.-1

7.1-1

7.1-1

	1m 1#		2 1
	1m 1#		
	1m 1#		
	1m 1#		



7.1.1

8.1

8.1.1 8.1.2

8.1.1

	GB 12348-2008	

8.1.2

	/		/
	AWA5688	YQC15-8	2021/07/20
	AWA6021A	YQC16-7	2021/04/01

8.2

8.3

0.5dB

9.1

2020 10 12 ~13

9.2

2020 10 12 ~13

9.2.11

9.2.11

		dB(A)	dB(A)	
1m 1#	2020.10.12	53	46	
	2020.10.13	52	46	
1m 2#	2020.10.12	50	46	
	2020.10.13	52	46	
1m 3#	2020.10.12	56	51	
	2020.10.13	57	52	
1m 4#	2020.10.12	54	49	
	2020.10.13	54	47	
		GB12348 2008 3		
		65dB(A)	55dB(A)	
		GB12348 2008 1 3		

10.1

					-
	19				
		1		1	
					13350
13350	/a				13350
		1		1	
10200	/a				
					13350 /a
					13350
2020	4				
2020	7	28			[2020]092
2020	8	1		2020	8 31
2020	9	30			

1

2

GB12348 2008 1 3

10.2

					2020-500112-36-03-130767			19
	C3670						/	E106.762851, N29.675218
	13350					13350		
						[2020]092		
	2020 8 1					2020 8 31		/
	/					/		91500000304895114H001V
								75%
	100					10	%	10%
	10					1	%	10%
	/		/		1		0	/ /
	/					/		/
						91500224576165609P		2020 12

